
CORGRIP* NG/NI FEEDING TUBE RETENTION SYSTEM

INTENSIVE NEEDS. PRECISION CARE.









TUBE DISPLACEMENT

Tube displacement has been reported with a prevalence of up to 63%¹

Tube displacement can lead to:2



Increased risk of aspiration



Interruptions in nutritional support



Skin breakdown



Radiographic exposure through verification of tube reinsertion

| Early and efficient feeding is important for critically ill patients⁴

Failure to meet target calorific intake is associated with high mortality rates in critically ill patients^{5,6}


Malnutrition is also associated with:







CORGRIP* NG/NI FEEDING TUBE RETENTION SYSTEM



PRODUCT FEATURES

- Unique deployment no dragging of tape around vomer bone
- Unique Slot Slide Lock (SSL) securement clip
- Each catheter has numeric cm markings
- Range of sizes 8 Fr 18 Fr
- Biocompatible, long lasting polyester umbilical tape
- Supplied with water soluble lubricant
- Colour coded clips for Fr size
- Single patient use
- Use for up to 4 weeks
- Supplied with spare clip and opening device

ΔVΔNOS

PRODUCT PORTFOLIO

CORGRIP* NG/NI Tube Retention System

25-008	CORGRIP' NG/NI Tube Retention System for use with 8Fr NG/NI feeding tubes	Box of 10
25-010	CORGRIP* NG/NI Tube Retention System for use with 10Fr NG/NI feeding tubes	Box of 10
25-012	CORGRIP* NG/NI Tube Retention System for use with 12Fr NG/NI feeding tubes	Box of 10
25-014	CORGRIP* NG/NI Tube Retention System for use with 14Fr NG/NI feeding tubes	Box of 10
25-016	CORGRIP* NG/NI Tube Retention System for use with 16Fr NG/NI feeding tubes	Box of 10
25-018	CORGRIP* NG/NI Tube Retention System for use with 18Fr NG/NI feeding tubes	Box of 10

For more information:

From the UK - please call Avanos at 0800 917 65 85.
Fax: 0800 169 02 35 | Email: customerservice.uk.ie@avanos.com

From N-Ireland - please call Sangers Surgical at 028 9056 7135. Fax: 028 9070 5623 | Email: Hospital@sangersaah.co.uk

From IRL - please call Uniphar Hospital Services at +353 1 468 84 56. Fax +353 1 466 07 82 | Email: to unipharhospitalservices@uniphar.ie

From all other countries - please call Avanos at +32 2 700 68 51 Fax +32 2 711 26 91 | Email: customerservice.export@avanos.com

References

- 1. Scott R, Bowling TE. J R Coll Physicians Edinb 2015;45:49-54;
- 2. Morton B, et al. Crit Care 2013;17(suppl 2):p242;
- 3. Kreyman KG, et al. Clin Nutr 2006;25:210-23;
- 4. Mogensen KM, et al. Crit Care Med 2015; 43:2605-15;
- Mehta NM, et al. Crit Care Med 2012;40(7):2204-11;
- 6. Braunschweig C, et al. J Am Diet Assoc 2000;100:1316-22;
- 7. Neumayer LA, et al. J Surg Res 2001;95:73-7;
- 8. Guenter P, et al. Jt Comm J Qual Patient Saf 2015;41(10):469-73;
- 9. Lynch A, et al. Aus J Otolaryngol 2018;1:8.

ΔVΔNOS

^{*} Registered Trademark or Trademark of Avanos Medical, Inc., or its affiliates. © 2019 AVNS. All rights reserved. HC974-01-UK COPY-02939